

CERTIFICATE OF CONFORMITY WITH IFRA STANDARDS

This Certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoints described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

CERTIFICATE DELIVERED



TO:

SCOPE OF THE CERTIFICATE:

Aldehyde C-14 Gamma Undecalactone

COMPULSORY INFORMATION:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 50th Amendment to the IFRA Code of Practice (published February 2023), provided it is used in the following categories at a maximum concentration level of:

IFRA Categories [see Annex 1 below for details]	Product Type	Maximum Level of use (%)
IFRA Category 1	Toys / Lip products	Not suitable
IFRA Category 2	Deodorants/Antiperspirants/Body Spray	1.00
IFRA Category 3	Eye Products	0.50
IFRA Category 3	Facial Mask/Make up/Tissues	1.00
IFRA Category 4	EdT/Colognes unshaved skin	10.00
IFRA Category 4	Fine Fragrance unshaved skin	40.00
IFRA Category 4	Fragrancing creams (not baby)	10.00
IFRA Category 5A	Body Creams/Oil/Lotion, Foot care	1.00
IFRA Category 5A	Insect repellent wipes	10.00
IFRA Category 5A	Powder and Talc (not baby)	1.00
IFRA Category 5B	Facial moisturizer / cream / toner	1.00
IFRA Category 5C	Hand Creams / sanitizers , nail care	1.00
IFRA Category 5D	Baby cream / lotion / Oil / Powder	0.50
IFRA Category 6	Mouthwash, Toothpaste	Not suitable
IFRA Category 7A	Hair Dyes (rinse off)	1.00
IFRA Category 7B	Hair Spray / Hair styling aids / Hair dyes (leave on)	1.00
IFRA Category 8	Intimate wipes, Baby wipes, Tampons	0.50
IFRA Category 9	Rinse-off toiletries: Soap, Shower Gel, Shampoo, Conditioner, Scrubs, Foams	2.50
IFRA Category 10A	Laundry products, Household cleaners	2.50
IFRA Category 10A	Toilet seat wipes	0.50
IFRA Category 10B	Aerosol Air Fresheners	5.00
IFRA Category 11A	Feminine Hygiene, Toilet Paper, Diapers	1.00
IFRA Category 11B	Facial Tissue, Napkins, Paper Towels,	1.00

IFRA Category 12	Non-skin contact home fragrances, Candles, Incense, Plastics (not toys), Fuels, Paints, Car and Air fresheners	10-100 Generally unrestricted
IFRA Category 12	Cat litter, Scratch and sniff	10.00
IFRA Category 12	Incidental skin contact, Pot pourri, Reeds, Sachets, Polishes, Refills, Cold diffusion	10-100 Generally unrestricted

For other kinds of application or use at higher concentration levels, a new evaluation can be needed; please contact BC Fragrance

ADDITIONAL INFORMATION ABOUT INGREDIENTS

Information about presence and concentration of fragrance ingredients subject to IFRA Limits in the fragrance mixture Aldehyde C-14 Gamma Undecalactone is as follows:

Ingredient name	CAS	Concentration (%)
BENZYL BENZOATE	120-51-4	0.0131
COUMARIN	91-64-5	0.0002
METHYL IONONE, MIXED ISOMERS	1335-46-2	0.3333

Regulatory Affairs Department

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Fixateur 505E SDS-F505E

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: BC Fragrance & Aromatics Mfg. Corp.

Company address: Unit 6G, 20 Lansbergh Place, 170 Tomas Morato Avenue, Quezon City, PH 1103

E-Mail address: sales@bcfragrance.com

Company phone: +639228076939

1.4 Emergency telephone number

Emergency phone: Poison Control Center Hotline: (02) 8524 1078

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger:

Hazardous to the Aquatic Environment - Acute Hazard Category 3

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Signal word: None

Hazard statements:

H412, Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273, Avoid release to the environment.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms: None

2.3 Other hazards

Other hazards: None

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

Section 3. Composition / information on ingredients

3.2 3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
Methyl ester of rosin (partially hydrogenated)	8050-15-5	232-476-2	29.00%	Aquatic Acute 3-Aquatic Chronic 3;H412
1,5,5,9-Tetramethyl-13-oxatricyclo (8.3.0.0(4,9))tridecane	3738-00-9	223-118-6	19.00%	Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 1;H303-H410
alpha-iso-Methylionone	127-51-5	204-846-3	0.40%	Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H315-H317-H320-H411

Substances with Community workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists

Ingestion: Rinse mouth with water and obtain medical attention

4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined

Odour: Not determined

pH: Not determined

Initial boiling point / range: Not determined

Flash point: 199.94 °C

Vapour pressure: Not determined

Relative density: Not determined

Solubility(ies): Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

This material does not meet the criteria for classification for health hazards under UN GHS.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not regulated

14.2 UN Proper Shipping Name: Not regulated

14.3 Transport hazard class(es): Not regulated

Sub Risk: -

14.4. Packing Group: Not regulated

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits:	EH A2=13.16% EH A3=1.30% EH C2=13.16% EH C3=1.30% EH C4=52.08%
Total Fractional Values:	EH A2=7.60 EH A3=77.16 EH C2=7.60 EH C3=77.16 EH C4=1.92

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
H303	May be harmful if swallowed.
H315	Causes skin irritation.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fixateur 505E SDS-F505E

H317	May cause an allergic skin reaction.
H320	Causes eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.